



VISION

- Maintain and sustainably develop a reputable brand in the field of design consultancy, construction, and project management of interior and exterior architectural works in Vietnam.
- Exporting wood and wood products from Vietnam to the world.



MISSION

Together build sustainable values.

Dedicated and responsible for the products we bring to customers



CORE VALUES





DEVELOPMENT PROCESS

TROPICITY

2010

Established Duc Tuong JSC

2016

Vinhomes Central Park – Binh Thanh District: The Park Building 3

2018

Diamond Island District 2, Vietnam Australia international school (VUS)

2019

Villa area 36 Thao Dien, W. An Phu, Dictrict 2

2020

Clean supermarket chain Mekong Gourmet

2022

Vinhome Grand Park, District 9

2015

Vinhomes Central Park – Binh Thanh District: The Park Building 5

2017

Sala Dai Quang Minh – 2 District, M-One District 7 Apartment

2018

Masteri AnPhu, W.Thao Dien, 2 District

2019

Established furniture, Aluminum, and glass factory Duc Tuong architectural construction JSC

2021

Yen The apartment, Tan Binh, HCM city

Organizational structure





FIELD OF ACTIVITY





Design Consultancy And Interior Construction



Supervision onsultants And Project Manager



Furniture Production And High-quality Materials

Customers


































































Address Of Company And Factory













FURNITURE SERVICES JOINT STOCK COMPANY

















Factory in Thu Duc City









Atmosphera Headquarters Factory in Thu Duc CityAtmosphere



Competitive advantage

1100 chairs per month

530 standard kitchen cabinets per month

650 m2 UV coating/day

1300 sets of doors per month








Machine lines are imported from Taiwan, Germany, Spain, Poland...with an area of up to $400 \mathrm{m}^2$.





Design software system product CABINET VISION is synchronous and flexible.









Every stage of production is controlled by a quality process





The testing phase of fire door according to QCVN 06:2010/BXD.












Land protection and access to public transporation and green vechicles



Sufficient green open space and light pollution reduction



Optimizing sustainable energy production and metering



Source: www.usgbc.org

TROPICITY

Standard Factory

LEED

(Leadership in Energy & Environmental Design) is a certificate for green building issued by the Green Building Council in the US(1995).

This is the pioneering international stadard for building energy-savig and environment-friendly buildings

PRODUCTION LINE

Factory production line







Automatic edge banding machine



CNC maching centers

Door product line







Cold press machine



Sanding machine



Double head milling cutter



CNC door routing



Production line for furniture - natural wood



Wood processing line







Automatic UV lamination coating line




Automatic UV lamination coating line



Piano surface sander





PRODUCTION LINE

WOOD PANEL

- 1.1: CNC plank cutting machine-Automatic board
- leveling
- 1.2: Automatic edge banding
- machine-glue straight edge and cut edge
- 1.3&1.4: Automatic edge banding machine
- $1.5\&1.6: CNC\ milling\ drilling\ machine-machining\ six$
- sides of the board
- 1.7: CNC machine centers
- 1.8: CNC nesting machine





Main saw blade height up to 120mmm (6 boards 18mm)






Automatic barcode stamp printing

Automatic board leveling CNC board cutting

machine

- 250 300 planks/ day.
- The automatic lift is controlled by the sensor, stable when lifting and feeding the board according to the program.
- Cutting diagrams are automatically programmed using Bazis production design software.
- Main saw blade and termite saw blade controlled by indendent lifting system, precisely determine where to start cutting according to board size, reducing saw blade or free time.
- The bait saw blade is controlled up and down, in and out computer, reducing the time to change the saw blade.






Automatic edge banding machine, straight edge banding and beveled edge banding machine

- Quick function change between beveled edge banding and straight edge banding.
- Just stick the edge without glue, less glue, no glue flow, high aesthetic, suitable for acrylic products.






Set of cornering functions



Automatic edge banding machine

- Boarding edge function: KDT's exclusive patent,
 precise configuration, ensure processing
 efficiency
- Feeding speed: 15-23m/min
- Glue temperature control function: preservation temperature can be set.
- When the device is set to idle, it will
 automatically enter the shutdown heat
 preservation function state, saving energy and
 reducing the carbonization of the glue.





Processing 6 sides of the board



Read barcode stamps

CNC milling machine (Processing 6 sides of the board)

- Drilling/milling of six boards at the same time.
- Machine speed: 75/30m/min.
- Workpiece feeding and unloading functions: front in and out, front in and back out and back
- Read barcode stamps to download machining programs..
- Workpiece clamping function and pneumatic blowing operation table for precise machining and no scratches on the board.

CNC machining centers

- Automatic tool change according to the machining program.
- The power 9kw motor can process industrial and natural wood
- Automatically get the origin according to some machining programs
- The 360-degree tool head can handle complex parts.
- Read barcode stamps to download the program.





360-degree machining head



Read barcode stamps



Automatic tool channger









Read barcode stamps



Four CNC machine heads

CNC Nesting

- Automatically feed planks and deliver semi-finished products.
- Four high-speed CNC machining heads.
- Cut and trim the board at the same time.
- Read barcode stamps to download machine programs.






PRODUCTS OF THE PLYWOOD PRODUCTION LINE

PRODUCTION LINE **DOOR**

- 2.1: Multi-blade sawing machine
- 2.2: Sliding table cutter
- 2.3: 2-sided Glue roller machine
- 2.4 & 2.5: 100-ton cold press machine
- 2.6: Felder "MVP 300" Membrane Press
- 2.7: 1300mm wide barrel sanding machine
- 2.8: Automatic two-head milling cutter
- 2.9: Automatic edge banding machine
- ${\it 3.0:} \, CNC \, accessories \, lock \, punching \, machine$

2.9








Main saw system











Lure saw system

Precision guide bar

Milling system

Automatic Double Head Milling Cutting Machine

- Precision guide bar; The moving machine assembly is placed on a linear guide bar, ensuring absolute precision when machining.
- Equipped with wear-resistant metal bearings.
- The bail door system: has the ability to tilt the blade 90-degrees
- Main saw system: capable of tilting the blade 90 degrees.
- Play system: equipped with high-power, capable of tilting the hole 90 degrees.







GLUEPOT M2



Automatic

Edge banding machine

- Made in Spain.
- Maximun matching height 60mm, suitable for door products...
- Feeding speed: 14m/min








Felder "MVP 300" Membrane Press

- Working temperature up to 50° C
- ☐ Working vacuum max. −0,9 bar
- ☐ Working pressure 9000 kg/m²
- ☐ Thickness of caoutchouch membrane 3 mm
- ☐ Elasticity of membrane 700 %.
- ☐ Pressing cycle with heating 50° C: 3–5 min
- ☐ Power of vacuum pump 25 m³/h
- ☐ Pressing area 3000 x 1150 mm.
- ☐ Dimensions mm (L x W x H): 3050 x 1350 x 1600
- ☐ Weight (kg): 360


BULK PRODUCTION LINE



3.5

3.3

- 3.1: Steam short cutting machine
- 3.2: Double-sided planer
- 3.3: Lower blade saw
- 3.4: High frequency band wood joiner machine
- 3.5: Vertical throat saw machine
- 4.1: Double head cutter
- 4.2: 600mm wide barrel sanding machine
- 4.3: Two-axis typist
- 4.4: Photocopy machine



BULK PRODUCTION LINE

4.5: Yang farming machine 4.6:

Sound mortise machine 4.7: Multi-

bit drill 4.8: Standing router machine

4.9: Bud sanding machine

5.1: Sliding table cutter

5.2: Lower blade router machine

5.3: Two-axis tupi machine









PRODUCTS OF BULK PRODUCTION LINE


PRODUCTION LINE


AUTOMATIC UV LAMINATION PAINT

- 6.1: Two-axis piano surface sander
- 6.2: Two-axis color laminating machine
- 6.3: IR Dryer
- 6.4-6.5-6.7: Two axis UV laminating machine and three-lamp UV drying machine
- 6.6: Three-axis piano surface sander






















Cross sanding unit




Longitudinal sanding unit



Longitudinal sanding unit (with pressure segment belt)

Two-axis/three-axis piano surface sander

- · Made in Germany.
- Workpiece recognition (Piano Technology) Ultrasensitive sensors with a very mall distance (21m) will recognize the shape of the workpiece before it is put into the machine and provide data about the shape, size, and position of the workpiece on the conveyor belt to finish.
- Pressure beam from CSD®: Precise control of sanding pressure determines superior sanding quality. The highly sensitive CSD sensor system receives data from the workpiece recognition sensor for accurate calculations of required pressure.
- Sanding surface thickness can be precisely controlled to <1mm with highly sensitive sensors that control the surface of the workpiece.



PRODUCTION LINE

(SECOND STAGE)

Automatic pallet painting line and automatic hanging paint line





Upholstery and sofa line















PRODUCTION LINE

AUTOMATIC PALLET PAINTING AND AUTOMATIC HANGING PAINT TRANSFER

- Pallets are pulled automatically with adjustable speed according to the painting process. After that, the pallet automatically moves into the drying champer.
- Small, removable parts on suspended paint lines move under the roof automatically.
- The water-based paint tower helps to collect paint dust effectively
- Maximum capacity 30 containers/month.















PRODUCTS OF THE CHAIN

AUTOMATIC PALLET PAINTING AND HANGING PAINT LINE










Wooden Door Production Line



UPGRADE AUTOMATIC DOOR PRODUCTION

LINE

- Double door production line output to 3000 sets of doors/month.
- Reduce the number of workers at the door production line. Increase output regardless of the nature of labor.











SHOWROOM OFFICE DISPLAY PRODUCTS

- Floor area 1200m2 including 4 floors:
- + 1st and 2nd floor: Showroom to display products.
- + 3rd and 4th floor: Executive Office
- The body structure is pre-engineered steel with fast and economical construction progress.
- The operator glazing system uses reflective solar glass to reduce operating costs and ensure LEED's criteria for energy







SOLAR BATTERY SYSTEM

- The design capacity of 620Kwp meets 1/3 of the energy demand of the plant.
- The investment cost is approximately 11 billion VND.
 After 7 years, we will recover their capital and start making profits:
- + Reduce costs for using grid electricity (about 700 million/year).
- + Profitable by connecting to the grid to sell crazy at the factory's inactive hours.
- + Solar panel life can be up to 30 years.

Contact

30/3 Phung Van Cung, W7, Phu Nhuan Dictrict, Ho Chi Minh city



028 3995 9557



Email:

info@dthouse.com.vn